



**HORSEPOWER**  
INCORPORATED

**RETAIL**

## Table of Contents

Cable Driven Throttle Bodies .....	1
Max Flow™ Throttle Bodies .....	2
64mm Cable Driven Throttle Bodies .....	3
Sportster® Throttle Bodies .....	3
Throttle-By-Wire Throttle Bodies.....	4
Milwaukee 8® Throttle-By-Wire Throttle Bodies.....	5
Milwaukee 8® Tunnel Ram, Elbow.....	5
V2™ Air Cleaners.....	6
Billet-Pro™ Air Cleaners .....	7
High Flow Injectors .....	8
Turbo/Super Charged Injectors.....	9
Performance Exhausts .....	10
Performance Parts .....	11
Replacement Parts .....	12
Terms & Conditions.....	13
Legal Disclaimers.....	14



# CABLE DRIVEN THROTTLE BODIES

Includes throttle body, manifold, throttle cable bracket, flanges and seals. Stock bolt pattern and location, fully compatible with all factory OEM electronics and cruise control. 51mm, 55mm and 58mm throttle body sizes available with CNC ported intake runner diameters for 1.660 (stock), 1.710, 1.730, 1.760 and 1.800 dimensions. \*Extended deck heights are available at 1 week lead time + additional cost.

**2001-2005** | Fits all cable driven **2001-2005 Harley-Davidson®** motorcycles excluding 2001 Touring models.

Part #	Diameter	Intake Runner	Retail \$
HPI-51D1-16	51mm	1.660	\$760
HPI-51D1-17	51mm	1.710	\$760
HPI-51D1-73	51mm	1.730	\$760
HPI-51D1-76	51mm	1.760	\$760
HPI-51D1-18	51mm	1.800	\$760
HPI-55D1-16	55mm	1.660	\$760
HPI-55D1-17	55mm	1.710	\$760
HPI-55D1-73	55mm	1.730	\$760
HPI-55D1-76	55mm	1.760	\$760
HPI-55D1-18	55mm	1.800	\$760
HPI-58D1-16	58mm	1.660	\$860
HPI-58D1-17	58mm	1.710	\$860
HPI-58D1-73	58mm	1.730	\$860
HPI-58D1-76	58mm	1.760	\$860
HPI-58D1-18	58mm	1.800	\$860
Black T/B	51-55mm	All	\$785
Add B at end	58mm	All	\$885



**2006-2017 Big Twin/Twin Cam Cable Driven** | Fits all cable driven **2006-2017 Big Twin/Twin Cam Harley-Davidson®** motorcycles.

Part #	Diameter	Intake Runner	Retail \$
HPI-51D6-16	51mm	1.660	\$760
HPI-51D6-17	51mm	1.710	\$760
HPI-51D6-73	51mm	1.730	\$760
HPI-51D6-76	51mm	1.760	\$760
HPI-51D6-18	51mm	1.800	\$760
HPI-55D6-16	55mm	1.660	\$760
HPI-55D6-17	55mm	1.710	\$760
HPI-55D6-73	55mm	1.730	\$760
HPI-55D6-76	55mm	1.760	\$760
HPI-55D6-18	55mm	1.800	\$760
HPI-58D6-16	58mm	1.660	\$860
HPI-58D6-17	58mm	1.710	\$860
HPI-58D6-73	58mm	1.730	\$860
HPI-58D6-76	58mm	1.760	\$860
HPI-58D6-18	58mm	1.800	\$860
Black T/B	51-55mm	All	\$785
Add B at end	58mm	All	\$885



# MAX FLOW™ THROTTLE BODIES

**Max Flow™ I Throttle Bodies** | Designed to maximize mid and high RPM torque with a large plenum engineered for larger cubic inch motors that require a larger amount of airflow. Fits 2001-2005 and 2006-2017 Big Twin/Twin Cam cable driven, available in 1.710, 1.730, 1.760 and 1.800 intake runner diameters, accepts the factory Delphi bolt pattern and compatible with cruise control.

Part #	Diameter	Intake Runner	Retail \$
HPI-55MFI-17	55-58mm '01-'05	1.710	\$860
HPI-55MFI-73	55-58mm '01-'05	1.730	\$860
HPI-55MFI-76	55-58mm '01-'05	1.760	\$860
HPI-55MFI-18	55-58mm '01-'05	1.800	\$860
HPI-58MFI-17	58-62mm '01-'05	1.710	\$860
HPI-58MFI-73	58-62mm '01-'05	1.730	\$860
HPI-58MFI-76	58-62mm '01-'05	1.760	\$860
HPI-58MFI-18	58-62mm '01-'05	1.800	\$860
HPI-55MF6-17	55-58mm '06-'17 BT/TC	1.710	\$860
HPI-55MF6-73	55-58mm '06-'17 BT/TC	1.730	\$860
HPI-55MF6-76	55-58mm '06-'17 BT/TC	1.760	\$860
HPI-55MF6-18	55-58mm '06-'17 BT/TC	1.800	\$860
HPI-58MF6-17	58-62mm '06-'17 BT/TC	1.710	\$860
HPI-58MF6-73	58-62mm '06-'17 BT/TC	1.730	\$860
HPI-58MF6-76	58-62mm '06-'17 BT/TC	1.760	\$860
HPI-58MF6-18	58-62mm '06-'17 BT/TC	1.800	\$860
Black T/B Add B at end of part #			\$885



**Max Flow™ II Throttle Bodies** | No need to worry about air restriction with this 62mm straight through bore offering maximum airflow. This combo has been newly re-engineered with a cast throttle body and aluminum intake for a more affordable price, available in standard silver or black powder coating option. Kit includes our high flow V2 air cleaner to match throttle body bore size opening. Air cleaner covers are sold separately at an additional cost. Compatible with cruise control and available in 1.710, 1.730, 1.760, 1.800 and intake runner diameters. \*Few Billet Throttle Body options left. Call for pricing.

Part #	Diameter	Intake Runner	Retail \$
HPI-62MFII-17	62mm '01-'05	1.710	\$1,210
HPI-62MFII-73	62mm '01-'05	1.730	\$1,210
HPI-62MFII-76	62mm '01-'05	1.760	\$1,210
HPI-62MFII-18	62mm '01-'05	1.800	\$1,210
HPI-62MFII6-17	62mm '06-'17 BT/TC	1.710	\$1,210
HPI-62MFII6-73	62mm '06-'17 BT/TC	1.730	\$1,210
HPI-62MFII6-76	62mm '06-'17 BT/TC	1.760	\$1,210
HPI-62MFII6-18	62mm '06-'17 BT/TC	1.800	\$1,210
Black Cast Pricing – Add B at End of Part # +\$25			<b>\$1,130</b>
62mm T/B + Intake, No V2 A/C *Silver			\$785
62mm T/B + Intake, No V2 A/C *Black			<b>\$810</b>
62mm T/B Only *Silver			\$560
62mm T/B Only *Black			<b>\$585</b>



## 64mm CABLE DRIVEN THROTTLE BODIES

**64mm Cable Driven** | 2001-2005 and 2006-2017 Big Twin/Twin Cam Harley-Davidson®

motorcycles, excluding 2001 Touring models. Our largest cable driven throttle body on the market, includes a billet 64mm throttle body, CNC ported manifold, throttle cable bracket, high flow fuel rail and flanges and seals. Compatible with cruise control and requires a throttle-by-wire air cleaner bolt pattern. Available in 1.710, 1.730, 1.760, 1.800, 1.900 dimensions as well as B2 and B3 applications also.

Part #	Diameter	Intake Runner	Retail \$
HPI-64D1-17	64mm '01-'05	1.710	\$1,220
HPI-64D1-73	64mm '01-'05	1.730	\$1,220
HPI-64D1-76	64mm '01-'05	1.760	\$1,220
HPI-64D1-18	64mm '01-'05	1.800	\$1,220
HPI-64D1-19	64mm '01-'05	1.900	<b>\$1,320</b>
HPI-64D6-17	64mm '06-'17 BT/TC	1.710	\$1,220
HPI-64D6-73	64mm '06-'17 BT/TC	1.730	\$1,220
HPI-64D6-76	64mm '06-'17 BT/TC	1.760	\$1,220
HPI-64D6-18	64mm '06-'17 BT/TC	1.800	\$1,220
HPI-64D6-19	64mm '06-'17 BT/TC	1.900	<b>\$1,320</b>



\*Color anodizing available for additional \$150 and 1+ week lead time. Extended deck heights are available at 1 week lead time+ additional cost.

## SPORTSTER® THROTTLE BODIES

**Sportster® Throttle Body Kit** | Fits all 2007-Later fuel injected Harley-Davidson® Sportster®

motorcycles. This unit allows for more airflow over the stock 45mm throttle body. Kit includes a Billet-Pro air cleaner equipped with a K&N lifetime warranty air filter element (carbon fiber cover sold separately). Designed to improve horsepower gains between 8-10hp depending on other build modifications. 51mm and 55mm throttle body sizes available with CNC ported intake runner diameters for 1.620 and 1.710 dimensions.

Part #	Diameter	Intake Runner	Retail \$
HPI-51S1-62	51mm	1.620	\$840
HPI-51S1-17	51mm	1.710	\$840
HPI-55S1-62	55mm	1.620	\$840
HPI-55S1-17	55mm	1.710	\$840



# THROTTLE-BY-WIRE THROTTLE BODIES

**Throttle-By-Wire** | 2008-2016 H-D® Big Twin Harley-Davidson® EFI Throttle-by-wire motorcycles including B2 and B3 intake manifold options. Designed to increase airflow and improve horsepower gains while maintaining compatibility with stock map sensors, fuel rail and cruise control. Offering four different throttle body sizes to cover all build modifications, CNC machined in-house from high quality 356 aluminum castings to ensure a perfect OEM fit. Complete with a CNC ported manifold and a new set of intake flanges and seals. Utilize stock core electronics, 3-5 day turnaround time from day core is received with official order form.

Part #	Diameter	Intake Runner	Retail \$
HPI-55FBW-16	55-58mm Max Flow™	1.660	\$605
HPI-55FBW-17	55-58mm Max Flow™	1.710	\$605
HPI-55FBW-73	55-58mm Max Flow™	1.730	\$605
HPI-55FBW-76	55-58mm Max Flow™	1.760	\$605
HPI-55FBW-18	55-58mm Max Flow™	1.800	\$605
HPI-58FBW-16	58mm Elliptical	1.660	\$605
HPI-58FBW-17	58mm Elliptical	1.710	\$605
HPI-58FBW-73	58mm Elliptical	1.730	\$605
HPI-58FBW-76	58mm Elliptical	1.760	\$605
HPI-58FBW-18	58mm Elliptical	1.800	\$605
HPI-58FBW-19	58mm Elliptical	1.900	<b>\$710</b>
HPI-62FBW-17	62-64mm Max Flow™	1.710	\$665
HPI-62FBW-73	62-64mm Max Flow™	1.730	\$665
HPI-62FBW-76	62-64mm Max Flow™	1.760	\$665
HPI-62FBW-18	62-64mm Max Flow™	1.800	\$665
HPI-62FBW-19	62-64mm Max Flow™	1.900	<b>\$750</b>
HPI-62FBW-B2/B3	62-64mm Max Flow™	B2/B3	<b>\$750</b>
HPI-68FBW-76	68mm Big Bore	1.760	\$665
HPI-68FBW-18	68mm Big Bore	1.800	\$665
HPI-68FBW-19	68mm Big Bore	1.900	<b>\$750</b>



## MILWAUKEE 8® THROTTLE-BY-WIRE THROTTLE BODIES

2017-Later Milwaukee 8® Harley-Davidson® motorcycles. Designed to allow for more airflow over stock 55mm through a billet manufactured throttle body and fully CNC ported aluminum intake manifold. Offering 58mm, 62mm and 70mm sizes with a 1.900 intake port including new seals, utilize stock flanges. Other features include, stock location for air cleaner bolt pattern and opening, cruise control compatible and made in USA. Utilize stock core electronics, 3-5 day turnaround time from day core is received with official order form. \*Upgraded Hig Flow Injectors available in ratings, 6.2gps, 8.7gps or 10gps. Add an HPI V2 Air Cleaner, or our newly designed Tunnel Ram, Elbow, all sold seperatly.

Part #	Diameter	Intake Runner	Retail \$
HPI-58M8-19	58mm	1.900	\$740
HPI-62M8-19	62mm	1.900	\$740
HPI-70M8-19	70mm	1.900	\$795
HPI-M8-MO	58-62mm Manifold Only	1.900	\$225
HPI-M8-MO70	70mm Manifold Only	1.900	\$225



## MILWAUKEE 8® TUNNEL RAM, ELBOW

2017-Later Milwaukee 8® Harley-Davidson® motorcycles. Designed to increase mid-range torque from stock to large cubic inch applications. Can install to a stock H-D® or any size HPI M8® throttle body, **not compatible** with SE® throttle bodies. This unique design offers a custom cone shape performance filter for those who are looking for the full race look. Also features, external breather lines that will help eliminate oil misting.

Part #	Description	Retail \$
HPI-SM8-TR	Stock T/B Tunnel Ram, Elbow	\$585
HPI-62M8-TR	62mm HPI T/B Tunnel Ram, Elbow	\$585
HPI-70M8-TR	70mm HPI T/B Tunnel Ram, Elbow	\$640



# HIGH FLOW AIR CLEANERS

**V2™ Air Cleaner** | Maximize your engine’s potential with a high flow air cleaner. The V2™ high flow air cleaner is equipped with a velocity stack inside to provide the air your engine needs for maximum flow and velocity. With a flow rate of 428.95cfm @ 28” it is proven for performance. The billet aluminum air cleaner can be used to enhance the performance of your Harley-Davidson® motorcycle, while allowing for a super clean look with different cover designs to choose from, or the option to utilize any stock center bolt pattern cover. Accepts either Delphi/CV or Throttle-by-wire bolt pattern, available with or without cover.

## CHOOSE MOTORCYCLE MODEL:

Part #	Description	Retail \$
HPI-V2CD-1	V2 Cable Driven	\$355
HPI-V2FBW-1	V2 Throttle-by-Wire '08-'16 Big Twin	\$355
HPI-V2M8-1	V2 Milwaukee 8® '17-Later	\$355



## CHOOSE COVER DESIGN:

### STANDARD COVER OPTIONS | Kit Total \$465

Part #	Description	Retail \$
HPI-V2CO-C1	V2 Cyclone 1 Cover Only	\$115
HPI-V2CO-C2	V2 Cyclone 2 Cover Only	\$115
HPI-V2CO-MC	V2 Maltese Cross Cover Only	\$115
HPI-V2CO-P	V2 Plain Black Cover Only	\$115



### LASER SCRIBE COVER OPTIONS | Kit Total \$489

Part #	Description	Retail \$
HPI-V2CO-HPi	V2 HPI Laser Scribe Cover Only	\$140
HPI-V2CO-NHP	V2 Horsepower Inc., No HPI Logo	\$140
HPI-V2CO-FYC	V2 FYC Laser Scribe Cover Only	\$140
HPI-V2CO-SF	V2 Skull Flame Laser Scribe Cover Only	\$140
HPI-V2CO-SC	V2 Skull Crack Laser Scribe Cover Only	\$140
HPI-V2CO-PP	V2 Plain High Polish Cover Only	\$140



## HIGH FLOW AIR CLEANERS

**Billet-Pro™ Air Cleaner** | Less is more with the Billet-Pro™ air cleaner that has all the basics with all the great looks at an affordable price. Features including a billet backing plate, a light weight carbon fiber cover and a K&N® lifetime warranty air filter element, and a flow rate of 350CFM @ 28". It's a must have for rider's seeking more leg room. Available with or without carbon fiber cover, utilize any center bolt pattern cover without. Not available for M8® models.

Part #	Description	Retail \$
HPI-BPCD-AC	Billet-Pro Cable Driven	\$272
HPI-BPFBW-AC	Billet-Pro Throttle-by-Wire '08-'16 Big Twin	\$272
HPI-BPSP-AC	Billet-Pro Sportster®	\$272
HPI-BPAC-NC	Billet-Pro No Cover *Specify model upon order	\$220
HPI-BPAC-CO	Carbon Fiber Cover Only	\$82



## AIR CLEANERS ACCESSORIES

**External Breather Systems** | HPI's External Breather system is an add on feature manufactured to fit the HPI V2 and Billet-Pro air cleaner kits. The design helps eliminate oil misting on bike and contamination of intake tract with a fully o-ringed system, billet stainless steel inserts and vacuum tube design. Purpose built to retro fit other select air cleaner kits that use a **flat mounting back plate**. Allows for a slight misalignment of air cleaner due to head/throttle body fitment issues. \*Please note, not yet available for Sportster® units. Fuel Injected models only.

Part #	Description	Retail \$
HPI-EBS-CD	External Breather System, Cable Driven	\$90
HPI-EBS-FBW	External Breather System, FBW Big Twin	\$90
HPI-EBS-M8	External Breather System, M8®	\$90



**Outerwears® Rain Socks** | Protect your air cleaner with an HPI water repellent Rain Sock custom made by Outerwears® with Horsepower Inc. white printed logo. Sizes available to fit our V2™ and Billet-Pro systems.

Part #	Description	Retail \$
HPI-RS-V2	V2 Rain Sock	\$34
HPI-RS-BP	Billet-Pro Rain Sock	\$34



# HIGH FLOW INJECTORS

Direct drop-in replacements for Harley-Davidson® motorcycles equipped with a Delphi engine management system, featuring a specifically engineered spray pattern that optimizes fuel atomization.

## 2001-2005 Cable Driven, Sportster® & '08-'16 Big Twin FBW

**Yellow Band Injectors** | Provides a fuel delivery rate of 6.2gps (49.2lbs/h) which increases flow 43% over stock injectors. Highly recommended for engines making or exceeding 120hp.

Part #	Description	Retail \$
HPI-DINJ-1	6.2 grams per second	\$285/set



**Black Body Injectors** | Provides a fuel delivery rate of 5.3gps (42.06lbs/h). Highly recommended for engines making or exceeding 110hp.

Part #	Description	Retail \$
HPI-DINJ-2	5.3 grams per second	\$180/set



**Brown Band Injectors** | Provides a fuel delivery rate of 4.3gps (33.3lbs/h). Direct stock replacement.

Part #	Description	Retail \$
HPI-DINJ-R	4.3 grams per second	\$248/set



## 2017-Later Milwaukee 8® Touring

Provides a fuel delivery rate of 6.2gps (49.2lbs/h). Direct replacement upgrade for the Milwaukee 8™ models.

Part #	Description	Retail \$
HPI-M8INJ-1	6.2gps M8 high flow injector	\$285/set
HPI-M8INJ-8	8.7gps M8 high flow injector	\$295/set
HPI-M8INJ-10	10gps M8 high flow injector	\$305/set
HPI-M8INJ-E	Ethanol M8 high flow injector	\$305/set



## 2006-2017 Big Twin/Twin Cam Cable Driven Only

**Late Model Injectors** | Provides a fuel delivery rate of 5.3gps (42.06lbs/h). Highly recommended for engines making or exceeding 110hp.

Part #	Description	Retail \$
HPI-LMINJ-1	5.3 grams per second	\$180/set



# HIGH FLOW INJECTORS | SUPER CHARGED/TURBO

## 2001-2005 Cable Driven, Sportster® & '08-'16 Big Twin FBW

**Blue Band Injectors** | Provides a fuel delivery rate of 7.5gps (@43.5 psi) & 8.6gps (@60 psi) . Highly recommended for super charged and turbo applications only.

Part #	Description	Retail \$
HPI-BAMF-1	7.5gps (@43.5 psi) & 8.6gps (@60 psi).	\$200/set



**Maroon Band Injectors** | Provides a fuel delivery rate of 10gps 80lb. Highly recommended for super charged and turbo applications only.

Part #	Description	Retail \$
HPI-BAMF-8	10gps 80lb.	\$220/set



**Turbo Tip Injectors** | Provides a fuel delivery rate of 11gps 88lb. @ 3BAR 13.2gps 105lb. @ 4BAR. Highly recommended for super charged and turbo applications only.

Part #	Description	Retail \$
HPI-BAMF-88	11gps 88lb. @ 3BAR 13.2gps 105lb. @ 4BAR	\$230/set



**Injector Clips & Spacers** | Injector clip and spacer kit can retrofit any 2001-2005 style injector on a 2006-Present bike or 2006-Present injector on a 2001-2005 bike.

Part #	Description	Retail \$
HPI-IC-1	'01-'05 Inj EV1 connector to '06 EV6 Harness	\$40
HPI-IC-6	'06-Pres Inj EV6 connector to '01-'05 EV1 Harness	\$45
HPI-ICS-1	'01-'05 Inj EV1 connector to '06 EV6 Harness Clips & Spacers adapting injectors into '06-Pres bikes	\$55



# PERFORMANCE EXHAUSTS

**Exhaust Systems** | HPI Exhaust systems are 100% handmade in USA, TIG welded, and feature a perforated stainless muffler interior. Exhausts are available in only a Stainless finish. All sales on exhaust systems are final and cannot be returned as they are all custom made to order.

## Dyna® Exhausts

Part #	Description	Retail \$
HPI-DYEX1-S	HPIXSDC Stainless Dyna® Exhaust, '01-'05	\$1,650
HPI-DYEX6-S	HPIXSDC Stainless Dyna® Exhaust, '06+	\$1,650




## FXR® Exhausts

Part #	Description	Retail \$
HPI-FXREX-S	HPIXSDC Stainless FXR® Exhaust	\$1,650
HPI-FXREX-BB	*Baker® Transmission must order additional exhaust bracket	\$135

## Bagger Twin Cam 2007-2016 Exhausts

Part #	Description	Retail \$
HPI-EXBTS-S	Bagger Twin Cam Shorty, Stainless Exhaust	\$1,760
HPI-EXBTF-S	Bagger Twin Cam Full, Stainless Exhaust	\$1,980



## Milwaukee 8® Softail Exhausts

Part #	Description	Retail \$
HPI-EXM8S-S	2:1 Stainless M8® Exhaust	\$1,760



## Milwaukee 8® Bagger '17+ Exhausts

Part #	Description	Retail \$
HPI-EXM8BS-S	Shorty, M8® Bagger '17+, Stainless Exhaust	\$1,760
HPI-EXM8B-S	Full Length M8® Bagger '17+, Stainless Exhaust	\$1,980

## PERFORMANCE PARTS

**Oil Cooler Mounting Bracket** | Fits 1999-2007 Twin Cam A motors, manufactured from billet 6061 aluminum and polished for a clean look, this bracket allows for optimized oil passages that flow nearly 30% more than competitors, leading to less oil pressure drop for a proven cooler running motorcycle. Lightweight design engineered for easy fitment with any Jagg® or aftermarket cooler. *\*Cannot use without oil cooler element.*

Part #	Description	Retail \$
HPI-OC-1	Polished Oil Cooler Mounting Bracket	\$155
HPI-OC-B	Black Anodized Oil Cooler Mounting Bracket	\$230



**Fuel Pressure Regulator** | 62-psi fuel pressure regulator is designed for greater fuel delivery and engineered for direct fit in 2001-2005 Delphi® injected motorcycles and all Magnetti Marelli® systems.

Part #	Description	Retail \$
HPI-DPR-1	Delphi® Fuel Pressure Regulator	\$115



**O<sub>2</sub> Tuning Adapter** | This tuning adapter is perfect for every tuner aiding in air sampling for 2010-later touring models. Easy to install without drilling or removal of pipes. Adapter is screwed into factory O<sub>2</sub> location, just insert copper sampling tube into copper adapters, tighten and tune.

Part #	Description	Retail \$
HPI-TA-02	O <sub>2</sub> Tuning Adapter	\$75



**High Flow Fuel Rail** | High Flow Fuel Rails for Throttle-by-Wire applications allow for a higher volume of fuel delivery specifically for larger cubic inch and super charged bikes. Eliminates the quick connect off the fuel tank and allows for full fuel flow through -6 line. Kit includes -6 braided line, tank insert, -6 90° fitting, and rail.

Part #	Description	Retail \$
HPI-HFFR-1	High Flow Fuel Rail, -6 Lines, FBW	\$230



# REPLACEMENT PARTS

**Intake Flanges & Seals** | Intake flanges and seals are designed specifically for any head and throttle body combination. Flanges are manufactured on state-of-the-art CNC machinery from aerospace grade billet 6061 aluminum. They are not prone to cracking or warping like other forged products.

Part #	Description	Retail \$
HPI-IF-6L	'06-later throttle body to '06-later heads	\$55
HPI-IF-6E	'06-later throttle body to '05-earlier heads	\$55
HPI-IF-5L	'95-'05 throttle body to '06-later heads	\$55
HPI-IF-19	'06-later throttle bodies with 1.900 Intake Port	\$105
HPI-IF-6OE	'06-later stock throttle bodies original equip	\$55
HPI-IF-5OE	'01-'05 stock throttle bodies original equip	\$55
HPI-IF-6LS	'06-later throttle bodies chromoly flanges	\$105
HPI-IF-O	'06-later o-ring flanges for all HPI manifolds	\$92
HPI-IF-RS	Set of Replacement Seals Only	\$22



**Throttle Body Rebuild Kits** | O-Ring 2001-2005 and '06-'17 Big Twin/Twin Cam rebuild kits for throttle bodies.

Part #	Description	Retail \$
HPI-RBKIT-1	2001-2005 Rebuild Kit	\$25
HPI-RBKIT-6	2006-Present Rebuild Kit	\$25



**Hurricane Head® Adapters** | Allow us to modify your existing throttle body to accept the Hurricane Heads® manifold with an adaptor for both cable driven and throttle-by-wire motorcycles.

Part #	Description	Retail \$
HPI-FBWHH-1	Throttle-by-Wire Adapter	\$450
HPI-CDHH-1	Cable driven adapter	\$250



# TERMS & CONDITIONS

**Orders:** Parts can be ordered via telephone at (317) 757-8668 Monday-Friday from 9:00AM to 6:00PM EST. Most parts can be shipped UPS within 24 hours. Priority "Next Day" and "Second Day" orders must be placed by 1:00PM EST. Faxed orders can be sent to (317) 222-6360 and email orders can be sent to [laura@horsepowerinc.net](mailto:laura@horsepowerinc.net).

**Payment:** We accept cash, all major credit cards, and cashier's checks and money orders via UPS C.O.D. Company checks only to previously approved accounts. A service charge will be applied to all returned checks. Net 30 terms are available upon request. A service charge of 1-1/2% (at 8% per annum) will be added to all past due accounts. If the seller requires the services of an attorney, whether legal action is taken or not, in the event of any default, the buyer agrees to pay all costs of collection including, but not limited to, court costs and attorney fees.

**Shipping:** We use UPS or FedEx for shipping with freights and other delivery charges (C.O.D., insurance, etc.) collect. There is an additional \$16.50 charge on all C.O.D. orders. C.O.D. shipments will be sent "Certified Check" or "Money Order" unless other arrangements have been made with the factory in advance. Please request an HPI Credit Application for open account status or company check.

**Custom Orders:** All custom orders must be paid in full, in advance when ordered. The sales of custom orders are final and no items may be returned. A 50% deposit will be collected prior to all engine and bike builds.

**Refunds and Exchanges:** If you are not completely satisfied with your order, you may return it within 30 days for an account credit for merchandise only, provided:

1. You are the original purchaser, and you purchased your items directly from HPI.
2. You have a copy of the original receipt with your current contact information and reason for return.
3. The item is new, in its original packaging and has not been used, installed, or tampered with in any way.
4. You receive an RMA number from HPI.

Return you package (pre-paid and insured) to: Horsepower Inc. Attn: Returns Dept. 57 Gasoline Alley, Suite A Indianapolis, IN 46222. Your package must be postmarked on or before 10 days from the date of purchase. Credit will be applied to account for merchandise only. Freight, handling, and associated fees are not refundable. For International shipments, please call or email [laura@horsepowerinc.net](mailto:laura@horsepowerinc.net). All returned merchandise is subject to a 15% restocking fee. Please note custom manufactured or special built items are not returnable. Exhaust systems are not returnable under any circumstances.

**Warranty:** Limited guarantee- We continually inspect and try to improve our products. All parts have been inspected prior to packaging, and our guarantee is limited to replacement or defective parts. This guarantee is in lieu of all other guarantees or warranties implied or expressed. Because we cannot control the application of our products, buyer assumes risk for any and all damage caused to himself or third party, by virtue of failure of these parts. We make no warranty as to products distributed by us, express or implied, including without limitation any warranties or mechanical ability and fitness for a particular purpose. All HPI products are custom designed for high performance applications. Products are non-returnable, and no warranty is extended. Implied or expressed most high-performance parts are not legal for sale or use on public highways, CA or EPA Pollution Controlled Motorcycles. Users must comply with all federal, state and EPA regulations. In some instance, high performance parts can be recalibrated to meet the above guidelines. We shall not be liable for indirect or consequential damages.

# LEGAL DISCLAIMERS

## **Warranties and Guarantees**

We continually inspect and try to improve our products. All parts have been inspected prior to packaging, and our guarantee is limited to replacement or defective parts. This guarantee lies in lieu of all other guarantees or warranties implied or expressed. Because we cannot control the application of our products, buyer assumes risk for any and all damages caused to himself or third party, by virtue of failure of these parts. We make no warranty as to products distributed by us, expressed or implied, including without limitation any warranties or merchant ability and fitness for a particular purpose. All Horsepower Inc. products are custom designed for high performance applications. Products are non-returnable, and no warranty is extended. Implied or expressed most high-performance parts are not legal for sale or use on CA or EPA Pollution Controlled Motorcycles. Users must comply with all federal, state and EPA regulations. In some instances - high performance parts can be recalibrated to meet the above guidelines. We shall not be liable for indirect or consequential damages. Installation of HPI products (and similar products from other manufacturers) may reduce or void your Harley-Davidson® vehicle warranty.

## **Disclaimers**

Emission-related parts for OEM non-emission control system equipped motorcycles as well as slip-on mufflers that mount downstream of and which do not alter the performance of OEM emission related devices are considered legal replacement parts by the California Air Resources Board (CARB). CARB does not, however, permit the use of aftermarket parts that remove or alter OEM emission control devices unless certified by CARB, other than for closed circuit race use only. More California exhaust information is available at [www.arb.ca.gov/](http://www.arb.ca.gov/).

Exhaust Noise Disclaimer: Unless noted, HPI exhaust components do not meet U.S. EPA noise standards and may be restricted to closed course competition use. Check local noise ordinances before use.

## **Catalog Contents**

We believe the contents and specifications of this catalog are correct. We assume no liability for errors in listings, specifications, part numbers, prices, or model applications. We reserve the right to change specifications, product descriptions, product quality, pricing, and application at any time without further notice and without further obligation. The reproduction of any material from this catalog is forbidden without our written approval. Harley-Davidson® is a registered trademark and is utilized in this catalog for reference only.

## **Caution**

These products are not legal for sale or use in California on pollution-controlled vehicles. Harley-Davidson® motorcycles equipped with some HPI products may not be used on public roads and may be restricted to closed course competition use. HPI performance products are intended for the experienced rider only. Some products are intended for race applications only.

## **Warning**

Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## CONTACT US

**Horsepower Inc.** Monday-Friday 9AM-5PM EST CLOSED Saturday-Sunday

HPI is located West Indy, on the corner of Gasoline Alley and Rockville Road at  
57 Gasoline Alley, Suite A  
Indianapolis, IN 46222  
Ph (317) 757-8668 Fax (317) 222-6360

Technical Support/Dyno Tuning:

**Jimmy Light**

[jimmy@horsepowerinc.net](mailto:jimmy@horsepowerinc.net)

Sales/Tech/Parts/Bike Service:

**Andrew Brinson**

[andrew@horsepowerinc.net](mailto:andrew@horsepowerinc.net)

**Ryan Cooper**

[ryan@horsepowerinc.net](mailto:ryan@horsepowerinc.net)

Sales/Marketing/General Questions:

**Laura Light**

[laura@horsepowerinc.net](mailto:laura@horsepowerinc.net)

[www.horsepowerinc.net](http://www.horsepowerinc.net)





*“All Horsepower Inc. manufacturing is done in the United States on state-of-the-art CNC machining equipment from U.S. materials and U.S. labor.”*

HORSEPOWER INC.

57 Gasoline Alley Suite A • Indianapolis, IN 46222

PH (317) 757-8668 • Fax (317) 222-6360

[www.horsepowerinc.net](http://www.horsepowerinc.net)

©2021-2022 Horsepower Inc.

Harley-Davidson® is a registered trademark and is used for reference only.

**HORSEPOWER**  
I N C O R P O R A T E D